



FAA Design Competition for Universities Airport Management and Planning Design Challenge

Developing an integrated web-based tool to enhance Safety Management System (SMS) planning and management for airports

The Ohio State University Department of Aviation 164 W. 19th Ave Columbus, Ohio 43221

Subhalakshmi Lakshminarayanan Santhosh Kalimuthu

Dr. Seth Young, Faculty Advisor

APRIL 2009

Executive Summary

This report addresses the Airport Management and Planning Challenge of the FAA Design Competition for Universities, 2008 – 2009 academic year. The research and proposed technology presented in this report focuses on helping airport managers improve safety by developing an integrated web-based tool to enhance safety management systems (SMS) planning at airports. SMS is currently being promoted by the Federal Aviation Administration as a key element to reducing accidents and incidents, and mitigating hazards at airports.

A research team of one undergraduate student majoring in aviation and one graduate student majoring in computer science at The Ohio State University performed extensive literature based research on the development of SMS and spent a considerable amount of time at The Ohio State University Don Scott Airport, an active FAR Part 139 certified reliever airport, learning about airport operations, safety, and the airport's current work in developing an SMS. The team found that while the airport has a number of safety policies among its many departments, the lines of communication between departments is very informal. Furthermore, there is no current program to formally record, analyze, and distribute records of accidents, incidents, hazards, and other safety-related risks. Based on these findings, the team decided to create a technology that formalized safety record keeping and analysis while also helping to formalize communications throughout the airport. The team created their prototype system using SQL, web developer and database development software. The system was designed to be easily integrated into the airport's current IT infrastructure.

It is believed that such a system would be most helpful in helping to reach many of the goals to be met by SMS. While it became evident that more time and resources would be required to develop a fully marketable system, it was also clear that the prototype system could be an important component to improving the safety of airports with relatively little effort. It is hoped that further development of this technology would help more airport managers as they plan for improving safety through the development of SMS.

Table of Contents

1.	Introduction/Problem Statement	1
2.	Background and Literature Review	2
	2.1. Safety Management Systems (SMS)	2
	2.2. The Ohio State University Don Scott Airport	8
3.	Team's Problem Solving Approach to the Design Challenge	13
	3.1. Proposed Solution: On-line web based SMS Data Information System	15
	3.1.1. Technical Description	15
	3.1.2. Announcements Database	18
	3.1.3. Accidents / Incidents Database	19
	3.1.4. Hazards Database	20
	3.2. Integrating with the Airport IT System	26
	3.3. Future Enhancements	26
	3.4. Cost Assessment	27
4.	Safety Risk Assessment	28
5.	Summary and Conclusions	. 30

List of Appendices

Appendix A: Contact Information	31
Appendix B: Description of University	32
Appendix C: Description of Non University Partners	33
Appendix D: Design Proposal Submission Form	34
Appendix E: Evaluation of Educational Experience	35
Appendix F: References	39
Appendix G-1:SMS GAP Analysis Questionnaire	40
Appendix G-2: Software Code	43

Table of Figures

Figure 1: The Ohio State University Airport, Organizational Chart	9
Figure 2: The Ohio State University Airport, External Web Site	16
Figure 3: Home page of SMS data information system	18
Figure 4: The Announcements database	19
Figure 5: The Accident / Incident database	20
Figure 6: The Hazard database	21
Figure 7: Accident Reporting Interface	. 22
Figure 8: Hazard Reporting Interface	23
Figure 9: Announcement Posting Interface	. 23
Figure 10: Selected Query of Announcements	. 24
Figure 11: Selected Query of Accidents / Incidents	25
Figure 12: Query of Hazards	. 25
Figure 13: FAA Risk Assessment Matrix	29

1. Introduction / Problem Statement

This report describes research performed in response to the Federal Aviation Administration's "Airport Design Competition for Universities" call for proposals for the 2008-2009 academic year. The research conducted for this proposal was performed by a team of students at The Ohio State University; Subhalakshmi Lakshminarayanan, a junior majoring in aviation, and Santhosh Kalimuthu, a master's student majoring in computer science. The faculty advisor for this project was Dr. Seth Young, Associate Professor in The Ohio State University Department of Aviation.

The focus of this research falls under the "Airport Management and Planning Challenges" competition category with a focus on improving the overall management of safety within the airport environment. Specifically, this proposal describes the potential for improving overall safety at an airport by introducing a web-enabled information systems platform into a newly integrated airport Safety Management System (SMS). As this proposal describes, the results of this research provide a solid foundation supporting the group's hypothesis that effective formalized methods of communication between various operating departments at an airport would significantly contribute to an enhanced atmosphere of safety and reduced accidents on and near the airport's airfield and facilities.

This proposal begins with a literature review that describes airport safety management systems.

The proposal then describes the potential of integrating IT into SMS at airports through an interviews and research conducted at The Ohio State University Don Scott Airport. The findings

of this research reveal that such systems may significantly improve safety at the airport by facilitating more formal means of communication, data collection, and analysis, in a cost effective manner.

2. Background / Literature Review

The first step in performing the research for this competition involved the team doing an extensive literature review on Safety Management Systems (SMS) at airports. The team was motivated to research this topic because The Ohio State University Airport is in the process of developing an SMS as part of the FAA SMS pilot program. The team felt like they could contribute to this process by developing a technology that would help plan for and manage safety at the airport under a new SMS program.

2.1 Safety Management Systems (SMS)

Since its inception, the primary mission of the FAA in the United States has been to ensure the safety of those traveling within the nation's aviation system. The FAA has always been concerned with the policies and practices associated with safe airport operations. Those airports that serve commercial air carriers must comply with Federal Aviation Regulations Part 139 – Certification of Airports, under which, airports are required to develop and operate under an approved Airport Certification Manual (ACM) (1). The ACM describes the practices to be performed by the airport to ensure a sufficient level of safety for aircraft operations. These practices range from maintaining sufficiently sized and hazard free areas around runways and

taxiways to maintaining proper administrative records. ACM's and their associated documents may be thought of as key elements of an airport's operating policies.

The policies described under FAR Part 139 have been in existence for many years. More recently, though, the FAA has begun to introduce more formal Safety Management Systems (SMS) programs to address a deeper safety-oriented philosophy to the entire airport environment. While relatively new to airports in the United States, SMS programs have been applied internationally and are mentioned in several ICAO policy documents. One of the primary documents reviewed by the team was "Safety Management Systems for Airports", written as part of the National Academies Transportation Research Board Airports Cooperative Research Program (ACRP). (2) This report provides a clear description about Safety Management Systems and a quick introduction of SMS to airport directors and other officials working in the airport. This document is considered as a resource for the US airport executives, managers and safety officials. The overview of SMS in the document clearly explains how a system approach to safety management will benefit both the safety and business aspects of airport operations. It describes the essential components of SMS and also introduces the International Civil Aviation Organization (ICAO) mandate and anticipated Federal Aviation Administration policy for Airport SMS. This document describes the reason for the Safety Management Systems as well as the benefits of SMS policies and Safety promotion, safety risk management, safety assurance and SMS in other industries. It also describes the rules and procedures for the implementation of the SMS at airports. According to this report SMS indicates that safety efforts are most effective when made a fully integrated part of the business operation. It also explains that Safety Management is based on the premise that there will always be safety hazards and human errors. System safety is the application of engineering and management principles, criteria, and techniques to achieve an acceptable level throughout all phases of the system. Achieving this definition of system safety is the primary objective of SMS.

SMS includes several key system safety principles as shown: Management commitment to safety, Proactive identification of hazards, Actions taken to manage risks, Evaluation of safety actions. The report clearly explains the components of SMS as Safety Policy, Safety Promotion, Safety Risk Management and Safety Assurance. This report helped the team in understanding the purpose of safety management systems and a SMS for airports.

The International Civil Aviation Organization (ICAO) has also published Safety Management Manual that provides a comprehensive guide to developing SMS at its member airports. (3) This manual considers safety as the overriding considerations in all aviation activities. This manual includes a conceptual framework for managing safety and establishing SMS as well as some of the systematic processes and activities used to meet the objectives of an airport's safety program. The ICAO manual is all about safety which includes concept of safety, need for safety management, ICAO requirements, approaches to safety management, responsibility for managing safety, state safety program, understanding safety, basics of safety management, risk management, hazard and incident reporting, safety investigation, safety analysis and safety studies, safety performance monitoring, emergency response planning, establishing a safety management system, safety assessments, safety auditing, considerations for operating a safety management system, aircraft operations, air traffic services, aerodrome operations, and aircraft maintenance. This report explains that effective safety management requires a systems approach to the development of safety policies, procedures and practices to allow the organization to

achieve its safety objectives. Similar to other management functions, safety management

requires planning, organizing, communicating and providing directions. Safety management

integrates diverse activities into a coherent environment.

With explanation and examples, the ICAO manual provides a report on performing an "SMS

Gap Analysis" for service providers. The report explains the Gap Analysis as a process by which

an airport conducts an analysis of its system to determine which components and elements of

SMS are currently in place and which components and elements must be added or modified. The

research team applied this method towards finding a way to improve SMS at The Ohio State

Airport. As part of this method, an SMS GAP analysis questionnaire was applied. The

questionnaire may be referred in Appendix G-1.

SMS is said to include several key principles: management commitment to safety, proactive

identification of hazards, action taken to manage risks, and evaluation of safety actions. To

address these principles the FAA has developed four key components of SMS: safety policy,

safety risk management (SRM), safety assurance, and safety promotion.

Safety Policy describes the written and oral procedures to be followed by staff and users of the

airport to maintain a safe environment. Safety policy also includes a safety mission and vision

statement that describes the safety culture of the airport. Safety policy is created and managed

by the leadership of the airport and communicated to the staff and users of the airport in an

effective manner.

Safety Risk Management is the practice of identifying and estimating the degree of safety risk

for different areas of the airport. Safety risks range from major hazards such as the potential for

FAA Design Competition 2009

Page 5

accidents which may cause significant injury or death, to minor risks such as small occupational hazards. Each potential risk is assessed based on its frequency of occurrence and the potential severity of results.

Safety Promotion is the practice of making sure that safety policies and programs are understood by airport employees, users, and other visitors. Safety promotion typically includes such activities as training methods, two-way-communication programs, and the use of promotional materials and activities.

Safety Assurance is the practice of ensuring that safety policies and actions are effectively communicated and applied. In addition, the goal of safety assurance is to evaluate the effectiveness of safety management systems, through data analysis and user feedback.

As part of the research for this project, a number of the above references were thoroughly read. In addition, an example SMS program document, for the Bangalore International Airport (BIAL) in Bangalore, India, was analyzed (4). BIAL is considered by ICAO to have a model SMS program and its program documents are available for public review. Because BIAL is such a large airport, its SMS program is highly formalized, with very specific policies with respect to incident reporting, record keeping, and formal lines of communication internally and with ICAO representatives. BIAL in fact employs dedicated staff for SMS. The highest authority in BIAL is the CEO who is accountable for the BIAL Management Board for safe management of the airport and the services provided by BIAL. The BIAL report identifies seven steps process to carry out a safety risk assessment. BIAL has made it mandatory to report all incidents, accidents or hazards that occur at the airport, runway or anywhere in the nearby location. Specifically,

BIAL made it mandatory to report any accident involving an unsafe, or potentially unsafe, occurrence or condition, irrespective of whether it involves injury or property damage or not. The airport also has safety incident recall meetings and conducts investigations with respect to the report submitted. BIAL also has safety auditing. It explains audits as one of the principle methods for fulfilling the safety and quality performance monitoring functions. BIAL also established Runway safety committee and Aerodrome Apron Safety committee. In the report it is explained that safety education and safety communications is required for an effective SMS. All this information helped the team to create a proper and effective SMS tool for the OSU Airport.

While such formal programs like that at BIAL would be appropriate for very large commercial service airports, smaller airports might not be able to afford full-time staff and other formal investments for SMS. This led the research team to start looking for ways a smaller airport can have some of the benefits of a more formal SMS without an extraordinary amount of investment, perhaps take advantage of a new technology rather than a large administrative and labor investment.

In 2007, the FAA office of airports began an Airport Safety program to develop SMS specifically for airports. As part of this effort, a guidebook on SMS for airports was created and an Advisory Circular introducing SMS to airports was published. (5, 6). Also in 2007, the FAA worked with than 20 large and medium sized commercial service airports to develop draft SMS programs. (7) In 2008, the FAA began working with 10 additional airports to develop SMS programs for smaller facilities. One of those airports was the Ohio State University Don Scott Airport.

2.2 The Ohio State University Don Scott Airport

The Ohio State University Don Scott Airport is an active general aviation airport located in Columbus, Ohio. The airport is owned and operated by The Ohio State University, a state of Ohio Land Grant University. The airport is certified under FAR Part 139 as a Class IV airport, certified to accommodate unscheduled air carrier operations on aircraft with greater than 9 seats, including those aircraft with 31 or more passenger seats. As a FAR Part 139 certified airport, Don Scott Airport has an approved Airport Certification Manual (ACM), and a number of standard operating procedures for its airfield operations, aircraft line-service, fixed base operations, aircraft repair station, and flight education program, as well as an emergency response program.

The Don Scott airport is home for 230 aircraft, including single and multiple engine, piston and turbine engine aircraft and rotorcraft. The airport oversees an estimated 100,000 operations per year, including corporate activity, student training, and pleasure flying. By operations, the OSU airport ranks in the top five airports in Ohio.

The airport is operated by a small administrative staff of approximately 10 managers and 25 full time staff. In addition there are a number of part-time and student employees at the airport performing in various departments of airport administration. The organization chart for the airport is illustrated in Figure 1.




Figure 1: The Ohio State University Airport, Organizational Chart

The team for this project spent a considerable amount of time at the airport, observing operations and management functions. It was observed that the airport functions very much like a small business, with a lot of informal communication between departments. Everyone knows everyone else at the airport, unlike perhaps at much larger commercial service airports. Because all airport functions are operated by airport staff, including aircraft maintenance, line service, customer service, and even flight education. The airport manager and the rest of the staff seem to know pretty well what's going on in all the various departments, although no formal records of many activities seem to be distributed.

The team reviewed a number of operations manuals for each of the departments at the OSU airport. (Within these manuals appropriate safety measures for the people of the department are described. The Line Service manual (7) is published for the staff working with line service. This manual is written for the purpose of making the line service employees aware of the employee

policies and procedures, training, safety, communications, equipment, fueling operations, emergency and accident reporting, and security. This manual was designed to provide aircraft attendants employed by The Ohio State University Airport with basic guidelines for performing their duties. Accompanying the line service manual, line service staff take computer-based training using the National Air Transport Association (NATA) Professional Line Service Training (PLST) program. The manual and program explains that safety is everyone's responsibility. It says that one way to foster a safe work environment is to understand how the airport operates, the types of problems and the safety hazards that may occur and any special rules that the airport may have. The manual describes safety measures for personal health/safety, drugs/alcohol, equipment failure, aircraft hazards, ramp hazards, ground vehicle operations and fire safety. This manual adequately supported the team's research project as the team got to know about the safety measures that are currently in action at the airport for the line service. The airport's repair station manual (8) consists of sections which explain safety policies and procedures for the airport's FAR Part 145 repair station, which is owned and operated by the airport itself. The Quality control manual consists of the manual revision process, Proficiency of inspection personnel, Maintaining current technical data, Inspection system, Records and Record keeping, Calibration of Measuring and Test Equipment and Corrective Action. This manual explains about the duties and responsibilities of the repair station staff and contains a floor plan of the repair station with a section for all the records and record keeping. The repair station's quality control manual specifically contains the airport's aircraft inspection system in which it explains explicitly about the Incoming inspection, Preliminary inspection, Hidden damage inspection, In-progress inspection, Final inspection. The Forms manual contains all the forms

like parts accountability sheet, altimeter card, altimeter test report, malfunction and defect report, tags, stamps, shift turnover log, training form and discrepancy form. This report helped us to know the issues in repair station concerning safety and also about the records and maintaining of records.

The airport's customer service manual (9) also helped the team in how SMS would be applied at he airport. The Customer service manual clearly explains the employee policies and procedures, the OSU airport, customer services, security, and provides information about managing airport concessions, such as the rental car services. This manual acts as a source in determining the how to respond to various situations, which happen so frequently in the absence of the experienced supervisor. The policies that are listed in the customer service manual are personnel policy, student employees, work schedule and uniforms. The responsibilities of the people working in customer service as explained by the manual are service requests, dispatching and paging phraseology, familiarization with fuel, oil brands and grades, early pull out procedures, ice machine/catering and coffee, fork lift request, building maintenance or inoperable equipment, vending machine problems, distribution of information about customers and employees and calls from media. The customer service manual served the team by providing information regarding the policies and also about the responsibilities of each position with respect to safety.

The dispatcher and standard operating procedures (SOP) manual (10) also helped the team in understanding important aircraft operating safety procedures applied at the OSU airport. The dispatcher manual's foremost thought is the safe dispatch of all the aircraft. The manual explains certain procedures for dispatching aircrafts followed by procedures for totaling invoices, aircraft scheduling, aircraft maintenance, and emergency procedures. There are also dispatcher duties in

the manual. This manual in helped the team in understanding the safety measures that were involved in dispatching an aircraft.

Another manual reviewed by the team was the Cold Weather Operations manual (11) which explains procedures and safety measures for the pilots while operating during cold weather conditions. The manual explicitly describes the weather minimums/conditions, preflight, engine starting, taxi considerations, takeoff and landings, flight maneuvers and miscellaneous. Some of the common safety measures that are explained in the manual are the dress code (to wear proper winter dress when operating in cold weather) and shoes and gloves etc. This manual particularly helped the team in understanding the importance of dress code and keeping flights in hangars as well as takeoffs and landings with respect to safety measures.

The Procedure manual for the Ohio State University Flight Education Program (12) contains information regarding General operations, Aircraft operations, Complex procedures, Instrument procedures, Multi-Engine procedures and Cold Weather Operations. The manual contains a section called safety in which safety measures like not to smoke in hangars or on the airfield, to stay off from parking areas and landing areas, to treat all aircraft as though the ignition system is ON, never assume an aircraft to be airworthy, never exit airplane when engine is ON, dress appropriately for the season, and a series of reports such as a Foreign Object Report, Near Mid air collision report, Bird Strike report, Operational Hazards report, Loss of communication capability, loss of positional awareness, and runway. These safety measures in the manual helped us to know about the measures that were in action and encouraged the team to think about the measures that need to be implemented in order to have an SMS.

The airport does not yet have a formal safety management system, but is working on developing

one at this time. One of the concerns of the airport in developing an SMS is that such a system

must be manageable for a small staff and not overwhelmingly expensive or time consuming to

manage. This point became very important as the team thought about a good design project to

help the airport in improving overall safety.

Between the general published literature on safety management systems for airports and the

operations manuals published for the Ohio State University Airport, the team gained a great

background knowledge of what it would take to implement SMS at the university's airport. The

challenge for the team, then, was to develop a problem solving approach towards finding exactly

how a contribution may be made to the airport as it attempts to develop SMS.

3. Team's Problem Solving Approach to the Design Challenge

For this project, the team was able to work directly with the faculty of The Ohio State

University, Department of Aviation, and the staff of The Ohio State University Airport as they

develop a Safety Management System for the airport. The airport's SMS development project is

sponsored by the Federal Aviation Administration as part of their SMS pilot airport study

program.

As part of this project, a GAP analysis was performed by the team. The purpose of the GAP

analysis was to evaluate the current policies and practices with respect to safety that exist at the

airport, in comparison to what a more formal SMS would include. These policies were revealed

FAA Design Competition 2009

Page 13

through an analysis of published airport documents, including the airport's FAR Part 139 ACM

and emergency response plan. In addition, a series of interviews with the airport director,

Douglas Hammon, and senior airport management staff were conducted, including: Tony

Barrell, Aircraft service Manager; Candi Roby, Chief Flight Instructor; Susan Riggs, Customer

Service Manager; Dale Gelter, Facilities Manager; and Ashley Webb, Assistant Flight Instructor.

A summary of these questions used in the interview process may be found in **Appendix G-1**.

The information collected from the documents and interviews were analyzed to identify how

formally the airport addressed the four basic elements of SMS (policy, promotion, risk

management, and assurance). What was found was that the airport does address each element,

but does so in a very informal manner.

From the research conducted at the airport, it was determined that safety policies and practices

are for the most part established and communicated informally on a person-by-person basis.

These informal policies seem to be sufficient given the fact that the airport is operated by a small

group of personnel who communicate well with one-another. However, the informality does

lead to a number of drawbacks:

• There is a great potential for lack of communication, especially of urgent important issues

• There is no formal record keeping of communicated safety issues

For this competition, this research team's goal was to design a technology that would formalize,

facilitate, and communicate safety policies and issues at the airport.

FAA Design Competition 2009

3.1 Proposed Solution: On-line web-based SMS data information system

The solution designed by the research team fulfills the need to formally communicate, record, and analyze safety related events at a relatively minimal expense, using an infrastructure that already exists at the airport. This solution was to design an on-line web-based safety management system data information system. This system is designed to allow any airport employee to anonymously enter the occurrence of a safety related incident or hazard, or simply to distribute formal announcements regarding safety. This system also records all entries so that the frequency or cause of certain safety related events may be analyzed.

3.1.1. Technical Description

The OSU Airport currently supports its own IP based internal information system network. On this network is both an internal and external web interface. The external web interface provides the general public with information about the airport, including information on current weather conditions, notices about airport activity, and contact information. A screenshot of the airports external website home page is illustrated in Figure 2.

The airport's internal web site is primarily used as an internal intranet e-mail system, but also has functionality for staff to "clock-in" and "clock-out" during work days. In conclusion, it was found that the airport's IT network is capable of doing a lot more with recording safety incident data but at this time the functionality hasn't been implemented. This research develops that interface.




Figure 2: The Ohio State University Airport External Web Site.

The team developed the "front end" user interface using Microsoft's Visual Web Developer 2008 Express Edition. This program was chosen because if its ease and flexibility of use and the adaptability of web sites created with the program to be easily integrated into existing web-based information systems, such as the one at The Ohio State University Airport.

Initially, the team thought of using HTML (Hyper Text Markup Language) for developing the interface. HTML is a very simple language to work with. During the course of the project, the team came across the Visual Web Developer 2008 Express Edition software, which had a

number of features that would make it easy to develop the interface, and also allows for

expansion and further development in the future.

The team quickly became very comfortable using the software. The software was very user

friendly. It was easy to create a graphical user interface through which the user can communicate

well with the application. The software was very easy to debug. All programming errors that

were made were highlighted and so the errors were easily found and fixed. The software easily

binds with the back end database. The connection between the front end and the back end was

established successfully and data flow between the front end and the back end was smooth.

More advantages using this software will be experienced when development of the interface

grows to a larger, more extensive, scale. For this first version of the system, however, the front-

end interface was kept very simple. This will allow users to get used to the system. As users

become more comfortable with the system, the front end will contain more information. In

addition, added graphics will add to the visual aesthetics of the system. An illustration of the

home page of this system is illustrated in Figure 3.

As an example of how this system improves communication throughout the airport, the home

page of this system displays the latest safety related announcements. This system represents the

first time that safety related issues are recorded, and formally communicated to all staff users of

the airport.

FAA Design Competition 2009 Lakshminarayanan &Kalimuthu, The Ohio State University, Columbus

THE OHIO STATE UNIVERISTY AIRPORT SAFETY MANAGEMENT SYSTEM

TODAY'S ANNOUNCEMENTS

Announcements	Date of announcement	Time
Meeting today at 3.00 pm	4/9/2009	3:16:02 PM
Tomorrow is a holiday	4/9/2009	3:16:21 PM
Important Announcement	4/9/2009	3:16:35 PM



Figure 3: Home page of SMS data information system

The "back end" of this system, which consists of a database for recording safety-related incident, hazards, and announcements, and a "selective query language" for retrieving and analyzing data was created using two popular programming platforms, *SQL Server* and *Microsoft MS Access*. The code created for this application may be found in Appendix G-2.

Using MS Access, three databases were created.

3.1.2. Announcements database

This database was designed for recording and displaying all safety-related announcements that may be made using this interface. The data table consists simply of four elements: A record

identifier, a text field for the announcement, a date-stamp, and a time-stamp. An illustration of the announcement database and its fields are found in Figure 4.

ID	ann	d_field	t_field
1	Meeting today at 3.00 pm	4/9/2009	3:16:02 PM
2	Tomorrow is a holiday	4/9/2009	3:16:21 PM
3	Important Announcement	4/9/2009	3:16:35 PM

Figure 4: The Announcements database

3.1.3. Accidents / Incidents database:

This database was designed for recording all safety-related accidents and incidents that may occur at the airport. The database was created for anonymous reporting, so that those that reported incidents may not feel responsible for the incidents. Anonymous reporting has become a popular method to encourage people to report incidents, even when they were at fault.

The accident / incident data base consists of the following fields: A record identifier, the reporting date of the accident, the posting date of the report, the time of the report, the weather conditions at the time of the accident, the type of accident, the location of the accident, the alleged cause of the accident, and the action taken in response to the accident / incident. An illustration of the accident/incident database and its fields are found in Figure 5.

ID	Date_of_ Accident	d_Field	T_Field	Weather_ Condition		Place_of_ Accident	Reason_for_ Accident	Action_Taken
1	4/6/2009	4/7/2009	11:16:58 PM	Clear	Employee Related	Taxiway	Instrument Error	Inform Customer Service
2	4/4/2009	4/7/2009	11:17:42 PM	Fog	Employee Related	Taxiway	Instrument Error	Inform Customer Service
3	4/1/2009	4/7/2009	11:17:50 PM	Clear	Employee Related	Taxiway	Instrument Error	Inform Customer Service
4	4/7/2009	4/8/2009	11:41:15 AM	Rain	Crew Member	Maintenance Department	Mechanical Error	Call fire Department

Figure 5: The Accident/Incident Database

3.1.4. Hazards database

To report safety related issues that have not resulted in, but have the potential to, lead to accidents or incidents, the interface was designed with a "hazards" database. This database anonymously records found safety related items that should be addressed. The hazards database contains the following fields: A record identifier, the date and time of reported hazard, a description of the hazard, a directive as to what should be done to address the hazard, the location of the hazard, and any immediate action taken. An illustration of the hazard database and its fields is found in Figure 6.

ID	Date_of_Hazard	d_Field	T_Field	Administration	Maintenance	Air_Field	Action_Taken
16	4/1/2009	4/7/2009	11:18:54 PM	Door not	Not labeled	Driving without	Report on database
				working	hazard	beacon	
17	4/2/2009	4/7/2009	11:19:00 PM	Door not	Not labeled	Driving without	Report on database
1 /	4/2/2009	4/1/2009	11:19:00 PM	Door not	Not labeled	Driving without	Report on database
				working	hazard	beacon	
18	4/3/2009	4/7/2009	11:19:05 PM	Door not	Not labeled	Driving without	Report on database
				working	hazard	beacon	
10	1///2000	4/7/2000	11 21 10 774	 	gi oi i	D: 1	G 16.6
19	4/4/2009	4/7/2009	11:21:18 PM	Water on floor	Sharp Object	Birds	Self fix

Figure 6: The Hazard Database with all its fields

As illustrated in Figure 3, users of this system can report any accidents, incidents, hazards, or make announcements using the graphical menu found on the home page.

Reporting of these events occurs through a simple user interface. An example of the accident / incident reporting interface is illustrated in Figure 7.

ACCIDENT/INCIDENT REPORT



Figure 7: Accident Reporting Interface

Using the above interface, the user chooses from a set of standard characteristics of the event, including the date, type, and location of the event. A pre-determined selection of choices was developed based on research with the airport, who suggested standard classifications, primarily for analytical purposes. Upon submitting this basic information, the user then has the opportunity to enter a text-based description of the event.

A similar interface is accessed for hazard reporting, as illustrated in Figure 8.

Date of actual accident April 2009 Sun Mon Tue Wed Thu Fri Sat <u>29</u> <u>30</u> <u>31</u> <u>1</u> <u>2</u> <u>3</u> 8 <u>9</u> <u>10</u> <u>11</u> 6 7 <u>13</u> <u>14</u> <u>15</u> <u>16</u> <u>17</u> <u>18</u> <u>20</u> <u>21</u> <u>22</u> <u>23</u> <u>24</u> <u>25</u> <u>27</u> <u>28</u> <u>29</u> <u>30</u> 1 Administration Water on floor -Maintainance Exposed Wire • Air Field Birds Actions Self fix Submit Home

HAZARD REPORT

Figure 8: Hazard Reporting Interface

Finally a similar yet simpler interface was created for the entry of any anouncements, as illustrated in Figure 9. With this interface, the date and time of the announcement is automatically recorded.

ENTER ANNOUNCEMENTS



Figure 9: Announcement Posting Interface

The front end interface also allows the user to retrieve entered announcements, accident/incident reports, and hazard reports. Selective query language (SQL) was used to allow the user to retrieve records based on one or more criteria. For example, a user can retrieve all announcements, or only those announcements posted in the past day, week, or month, as illustrated in Figure 10. All illustrated in Figure 11 and Figure 12, for accident/incident or hazard reports, users can retrieve, for example, all those events that occurred on a certain taxiway. These features make it very easy to perform analysis on safety related concerns at the airport.

Announcements made Last one month ▼ View By Date View all Date of announcement Time Announcements Meeting today at 3.00 pm 4/9/2009 3:16:02 PM 4/9/2009 3:16:21 PM Tomorrow is a holiday 3:16:35 PM Important Announcement 4/9/2009 Number of records 3 **Home**

VIEW ANNOUNCEMENTS

Figure 10: Selected Query of Announcements posted within the last month

QUERY DATA ZONE

ACCIDENT/INCIDENT REPORT



Date of accident/incident	Date reported	Time	Weather Condition	Type of Accident	Place of Accident	Reason for Accident	Action Taken
4/6/2009	4/7/2009	11:16:58 PM		Employee Related	Taxiway	Instrument Error	Inform Customer Service
4/4/2009	4/7/2009	11:17:42 PM		Employee Related	Taxiway	Instrument Error	Inform Customer Service
4/1/2009	4/7/2009	11:17:50 PM	good	Employee Related	Taxiway	Instrument Error	Inform Customer Service

Number of Records 3

Home

Figure 11: Selected Query of Accidents/Incidents which reported on the taxiway within the last month.

QUERY DATA ZONE

HAZARD REPORT

Hazard report all

Action taken Report on databa ▼ Hazard Report by action taken

Hazards reported Last one week ▼ Hazard Report by date

Date of hazard	Date reported	Time	Administration	Maintainance	Air Field	Action Taken
4/1/2009	4/7/2009	11:18:54 PM	Door not working Not labeled hazard		Driving without beacon	Report on database
4/2/2009	4/7/2009	11:19:00 PM	Door not working	Not labeled hazard	Driving without beacon	Report on database
4/3/2009	4/7/2009	11:19:05 PM	Door not working	Not labeled hazard	Driving without beacon	Report on database
4/4/2009	4/7/2009	11:21:18 PM	Water on floor Sharp Object B		Birds	Self fix
4/6/2009	4/8/2009	11:44:09 AM	Door not working	oor not working Not labeled hazard		Self fix
4/3/2009	4/8/2009	2:31:56 PM	Broken Windows	Sharp Object	Broken Signs	Report on database
4/1/2009	4/8/2009	2:37:53 PM	Water on floor	Exposed Wire	Birds	Self fix
4/6/2009	4/9/2009	3:57:45 PM	Door not working	Ooor not working Sharp Object		Report on database
			No of Records	8		

Home

Figure 12: Query of all Hazards reported

The entire application was designed to be user friendly. This was one of the main reasons to have

a simple menu control in the home screen, so that the user can get into any page needed in a click

choosing from the tree view menu control. The supply of the home button in each and every

webpage helps the user to jump to the home screen at any point in using the application. This

kind of design helps the user to get to the required location in just a click away.

3.2 Integrating with the Airport IT system

This application was designed to easily integrate with the airport's current client and a server

architecture. The databases created can be stored in the Airport Server system and the front end

application can be loaded on the required system. The clients can enter and view data into and

from the database. The clients cannot make changes or modify the data in any of the databases as

they are stored in the server, This ensures security for the information stored in the databases.

The scope of integrating this application with the existing Airport IT system depends on the kind

of client – server architecture that is being installed at the Airport IT system.

3.3 Future enhancements

In the course of designing this system, it was revealed early on that many additional features and

capabilities would be either necessary or simply wanted by the airport users. Some of these

features include:

• Security Information can be added to the application thereby allowing only authorized

users to use the application and keeping the application away from unauthorized users.

FAA Design Competition 2009

Page 26

• Redesigning the system using a relational database, so that safety related data can be

related to other databases that the airport may have.

• Enhancing the Graphical User Interface can be improved and the application can be made

more user-friendly.

While a fundamentally operational interface has been designed in only a matter of weeks, much

more can be done in the course of enhancing this basic system. It is estimated that a full time

development staff could have a fully functional system with many extra features within a few

months of effort.

3.4 Cost Assessment

The design and programming of this web-based interface was done in a very short amount of

time with no external funding. Despite such a lack of funding and time, the team was able to

create a functional prototype of a system that will benefit the safety management of The Ohio

State University Airport.

Design and programming of a fully functional system that would also be market ready for use at

other airports would take a significantly higher amount of effort. It is estimated by the team that

a 6 to 12 month development time frame using a small full-time team of programmers and

developers would be required. Creation of such a system could cost between ten and twenty-five

thousand dollars, followed by several thousand dollars a year for system enhancements and

FAA Design Competition 2009

Lakshminarayanan & Kalimuthu, The Ohio State University, Columbus

maintenance. While this may seem like a large investment, it actually may be a small percentage of developing a larger safety management system. This computer system may take away the

need for an extra administrative staff person, for example.

In general, of course, the cost of improving safety can be tiny compared to the savings it may

bring, especially when lives may be saved because this system was implemented.

4. Safety Risk Assessment

In developing this system, the research team performed a comprehensive safety/risk assessment,

to determine how and why such a system would benefit the airport's goal of improving safety

management. This assessment addressed issues of concern to the FAA, through literature

reviews and interviews and testing with experts in industry and academia. The FAA's Advisory

Circular 150/5200-27, Introduction to Safety Management System for Airport Operators, (15),

presents a predictive risk matrix to assess the level and impact of risk of incidents. This matrix is

illustrated in Figure 13. The matrix identifies two areas that contribute to risk: Likelihood and

Severity. As depicted in the matrix, the greater the likelihood of the given event occurring and/or

the severity of a hypothetical incident, the greater the risk. "High Risk" includes events with

higher likelihoods of occurring, resulting in events of higher severity, while, low risk includes

events with less likelihood of occurrence or events with minimal or minor safety effects.

FAA Design Competition 2009




Figure 13: FAA Risk Assessment Matrix

This analysis revealed that the airport's safety risks are relatively low, because the frequency of higher severity incidents is very low. However, airport management did acknowledge that the potential for severe accidents may increase as traffic at the airport increases, so the need to ensure the infrequency of occurrences is becoming increasingly important. The staff of the airport was excited to see the development of this system, as they believe that more formal record keeping, incident analysis, and formal lines of communication will help to keep the frequency of incidents low.

5. Summary and Conclusions

The technology proposed in this report was researched and designed in order to facilitate the

development of a system to specifically improve safety at airports. The technology was designed

to facilitate and formalize the safety communications and records keeping process at The Ohio

State University airport. The technology was designed to integrate into the current information

technology infrastructure and to be user friendly so that all staff at the airport would embrace the

technology. While the system designed for this report was a simple system, it was recognized by

airport management that such systems can be very helpful in developing SMS and improving

safety at the airport. The team is very excited to continue developing this web-based system. It

is hoped that such a system may be beneficial not only to The Ohio State University Airports, but

all airports in general, large and small.

As this development effort continues, the team plans to implement the system in a beta-test

format, to get real-life feedback for the system. The team knows that there are a lot of features

that may be requested by airport staff. It is also expected that the airport staff will want to find

different ways to analyze entered accident/incident and hazard data, so that they may find which

risks to safety are becoming more evident, why they are occurring, and possibly what can be

done to mitigate these risks.

The team very much enjoyed working on this project. A lot was learned about airports, airport

safety management systems, and how web-based technologies may be used to contribute to

airport safety.

FAA Design Competition 2009

Page 30

Appendix A: Contact Information

Faculty Advisor: Dr. Seth Young

Associate Professor, Dept. of Aviation

College of Engineering The Ohio State University 164 W. 19th Ave. Suite 401 Columbus, OH 43210 Tel. (614) 292-4556 Tel. (614) 292-1014

e-mail: young.1460@osu.edu

Student Team: Subhalaskmhi Lakshminarayanan, Student, OSU Dept. of Aviation

508 Stinchcomb Dr. # 4 Columbus, OH 43202 Tel., (316) 260-0713

e-mail: Lakshminarayanan.6@osu.edu

Santhosh Kalimuthu

The Ohio State University, Student, OSU Dept. of Computer Science

104 W. Maynard Avenue Columbus, OH 43202 Tel. (215) 834-7674

e-mail: kalimuthu.1@osu.edu

Appendix B: Description of University

The Ohio State University (OSU), located in Columbus, Ohio is a public land-grant university

supported by the State of Ohio Board of Regents. Founded in 1870, OSU is currently the largest

single-campus university in the United States with more than 60,000 undergraduate and graduate

students. Ohio State is ranked among the top 20 public universities in the United States

according to U.S. News & World Report. The university offers more than 160 academic

programs, through 20 colleges and schools.

Ohio State is considered to be one of the most comprehensive and diverse research institutions in

the United States. In 2007, OSU ranked 7th of all public universities in research expenditures

with more than \$650 million in funded research. Ohio State University ranked 10th in

engineering research in 2006, according to the U.S. News and World Report.

The Ohio State University College of Engineering supports an academic department in Aviation.

The OSU Department of Aviation offers undergraduate programs in aircraft systems (flight

education) and aviation management. The department also works across the College of

Engineering to foster graduate research. OSU Aviation operates an FAR Part 141 Flight School

and The Ohio State University Don Scott Airport, and associated fixed based operations and

FAR Part 145 Repair Station.

The Ohio State University is accredited by the Higher Learning Commission (HLC) of the North

Central Association of Colleges and Schools (NCA).

FAA Design Competition 2009
Lakshminarayanan & Kalimuthu The Ohio State Unive

Appendix C: Description of Non-University Partners

actively engaged in

Appendix D

Design Submission Form

Note: This form should be included as Appendix D in the submitted PDF of the design package. The original with signatures must be sent along with the required print copy of the design.

University The Ohio State University, Dept. of Aviation
List other partnering universities if appropriate
Design Developed by: Individual Student Student Team
If Individual Student
Name
Permanent Mailing Address
Permanent Phone NumberEmail
If Student Team:
Student Team Lead Subhalakshmi Lakshminarayanan
Permanent Mailing Address _508 Stinchcomb Dr. #4, Columbus, OH 43202
Permanent Phone Number 316-260-0713 Email: Lakshminarayanan.6@osu.edu
Competition Design Challenge Addressed:
Airport Planning and Management
I certify that I served as the Faculty Advisor for the work presented in this Design submission and that the work was done by the student participant(s).
Signed Date April 11, 2009
Name Seth Young, Associate Professor
University/College The Ohio State University
Department(s) Dept. of Aviation, College of Engineering
Street Address: 164 W. 19th Ave. # 401
City: Columbus State Ohio Zip Code 43210 Telephone 614-292-4556 Fax 614-292-1014
Telephone 614-292-4556 Fax 614-292-1014

APPENDIX E

Evaluation of Educational Experience

Subhalakshmi Lakshminarayanan

During my work on this project I learned some valuable information about safety management system and the safety issues in an airport. One of the important element I learned through this project is that how to create an SMS with all the safety measures and the also learned about the importance of SMS for an airport. After knowing about the need of SMS I realized that informal communication in our airport is the basic cause of all the safety issues. I also realized that some sort of manual and reporting system must be designed in order to reduce accidents and incidents in the airport. As we started to do research with the safety measures in the airport we understood that there were several safety measures which were all informally communicated among the officials and he public. This issue or complain paved a way for us to think about having an SMS for our airport with the safety measures that are already in place and the safety measures we developed in order to reduce risk assessment. When the paper reports also had some complains and issues we started to think in the technical way and decide to create a website or database for reporting incident, accident and hazards. We also decided to include announcements which could be viewed and entered by the public and the airport officials. Thus, we understood that applying technology in everything make life easier for the people. I was pleased to work in this project as it thought me about safety management system, and the ways to create SMS and also the importance of reporting system and applying technology in submitting the reports. Even though

FAA Design Competition 2009 Lakshminarayanan &Kalimuthu, The Ohio State University, Columbus Dr Seth Young, Faculty Advisor the incidents or accidents or the hazards many be small reporting them in the database would help the airport and the public to know more about it which would then lead the airport authorities to find solution for the problem that has been reported.

Santhosh Kalimuthu

At the initial stage of the project, I was not aware of how an Airport Safety Management System should look like and all I knew was to create this application using HTML. But later on, during the course of this project I learned about a new software called Visual Web Developer 2008 Express Edition and it was very helpful in designing and implementing the required application. I am now aware of how an Airport Safety Management System looks like and what the information is required to be taken care of for the Airport to function at its best. I had a wonderful experience with Seth B. Young, Associate Professor, Department of Aviation, College of Engineering at The Ohio State University. He guided me well through the different phases of the project. The scope of learning was well defined in this project and the learning curve was shooting up as the project moved to different phases. This project was a very good experience working and I was able to adapt myself to the changes made in the requirements through the course of the project. This project made me flexible and confident enough to handle any given project.

The motivation for this project came about through work for a funded research project with the Federal Aviation Administration in the development and establishment of Safety Management Systems (SMS) for airports. Specifically, The Ohio State University was selected to act as a pilot developer for an SMS at their FAR Part 139 airport. As the principal investigator for this project, I was fortunate to have Subhalakshmi Lakshminarayanan working with me as an undergraduate assistant. Ms. Lakshminarayanan was originally an undergraduate aerospace engineering major with little prior knowledge of airport operations and management. Her excitement for the project has motivated her to change her major to aviation, focusing on the management of safety at airports.

As we developed the concept for designing and implementing a computer-based information system to enhance SMS development at the airport, Ms. Lakshminarayanan recruited a colleague of hers, Santhosh Kalimuthu, a graduate student majoring in computer science. Mr. Kalimuthu had even less knowledge of airport operations and management prior to participating in this project. His expertise lies within the area of software development of IT systems. As such, there was a significant, but well accepted learning curve in understanding how such systems could be used to benefit in improving airport safety.

The mere fact that an aerospace engineering student can partner with a computer science student to work together in improving the safety of their university's airport, and aviation in general, speaks volumes to the benefit of this competition. These two students worked voluntarily,

outside of any of their normal course obligations, to learn more about airport operations and

safety, speak directly with airport staff, and produce a technology in a relatively short amount of

time. In the process the students not only learned new technical knowledge, but also what it

takes to manage a large scale project.

One of the great challenges to this project was in fact the learning curve. Neither members of the

team had any prior knowledge of airports, safety systems in general, empirical research, or large

project development. Further, as this was the first time anyone from The Ohio State University

had participated in this competition, the students were completely reliant on their advisor to

guide them in project development and refer to previous year entries as templates for project

submission.

One suggestion for this competition would be for the competition sponsors to provide some

fundamental sources of literature whereby students with no prior knowledge of the airport

environment could be brought up to speed. Further, if the competition sponsors can provide a

specific list of contacts that may be used as project-industry liaisons, the students would have

another avenue of guidance as they develop solutions to solve the airport industries safety related

issues.

I am once again grateful to the FAA and the Virginia Space Grant Consortium for the

opportunity for our students to participate in such a worthy competition.

FAA Design Competition 2009

Page 38

APPENDIX F - References

- 1. Federal Aviation Regulations, Part 139 "Certification of Airports". US Code of Federal Regulations, Washington, DC.
- 2. ACRP Report 1, Safety Management Systems for Airports, Volume 1: Overview, Transportation Research Board, Washington, D.C. 2007
- 3. ICAO Doc 9859 AN/460, *Safety Management Manua (SMM)*, International Civil Aviation Organization". First edition, Montreal, QC, 2006
- 4. Bangalore International Airport Limited. SMS. "Safety Management Manual". Retrieved November 23, 2008, from www.bialairport.com
- Federal Aviation Administration. Advisory Circular 150/5200-37 Introduction to Safety Management Systems for Airport Operators. Retrieved February 12, 2009, from http://www.faa.gov/airports_airtraffic/airports/resources/advisory_circulars/media/15_0-5200-37/150_5200_37.pdf
- 6. Federal Aviation Administration. *Federal Aviation Administration Safety Management System Manual*. Retrieved March 24, 2008, from http://platinum.ts.odu.edu/Apps/FAAUDCA.nsf/FAA_SMS_Manual-Version_1_1.pdf
- 7. Ohio State University Airport. *Line Service Manual*. Retrieved January 14, 2009, from OSU Airport Line Service Department.
- 8. Ohio State University Airport. *Repair Station Manual*. Retrieved January 13, 2009, from OSU Airport Repair Station Department.
- 9. Ohio State University Airport. *Customer Service Manual*. Retrieved January 13, 2009, from OSU Airport Customer Service Department
- 10. Ohio State University Airport. *Dispatcher Manual*, Retrieved January 14, 2009, OSU Dept. of Aviation.
- 11. Ohio State University Airport. *Procedures Manual*. Retrieved January 15, 2009, from OSU Dept. of Aviation, Flight Education Program
- 12. Ohio State University Airport. Cold Weather Operations Manual. Retrieved January 15, 2009, from OSU Dept. of Aviation, Flight Education Program.

Appendix G

Appendix G-1: SMS GAP Analysis Questionnaires



ICAO reference	Aspects to be analyzed or question to be answered	Answer	Status of implementation		
Component 2 - SAFETY RISK MANAGEMENT					
Element 2.1	- Hazard Identification process				
	Does the service provider have a formal safety data collection and processing system (SDCPS) of effectively collecting information about hazards in operations?		Limited to airgical		
	Does the service provider SDCPS include a combination of reactive, proactive and predictive methods of safety data collection?	□ Yes □ 'Ño	Readire methods of sofety data softleton		
	Does the service provider have reactive processes that provides for the capture of information relevant to safety and risk management?	□ Yes □ No	House a self inspiction		
	Has the service provider developed training relevant to reactive methods of safety data collection?	⊡ Yes □ No	Only written downers		
	Has the service provider developed communication relevant to reactive methods of safety data collection?	□ Yes □ No	Informal Communication		
	Is reactive reporting simple, accessible and commensurate with the size of the service provider?	⊡ Yes □ No	The checklist sommensure to the sing of airport		
	Are reactive reports reviewed at the appropriate level of management?	□ Yes □ No	It is reviewed by disport		
	Is there a feedback process to notify contributors that their reports have been received and to share the results of the analysis?	⊡ Ýes □ No	•		
	Does the service provider have proactive processes that actively look for the identification of safety risks through the analysis of the organization's activities?	□Ýes □ No			
	Is there training relevant to proactive methods of safety data collection?	⊠Ýes □ No	Informal training on an arnudud barry		
-	Has the service provider developed communication relevant to proactive methods of safety data collection?	□-Yes □ No	Informal communication		

26				
International	GW	Aviati	9/0	Organization

ICAO reference	Aspects to be analyzed or question to be answered	Answer	Status of implementation -
	is proactive reporting simple, accessible and commensurate with the size of the service provider?	⊠Ýes □ No	
	Does the service provider have predictive processes that provide the capture of system performance as it happens in real-time normal operations?	□ Yes ⊡•No	
	is there training relevant to predictive methods of safety data collection?	□ Yes □ No	
	Has the service provider developed communication relevant to predictive methods of safety data collection?	□ Yes □YNo	
	Is the predictive safety data capture process simple, accessible and commensurate with the size of the service provider?	□ Yes ⊡′Ño	
Element 2.2	- Risk assessment and mitigation process		
	Does the service provider SMS documentation clearly articulate the relationship between hazards, consequences and risks?	□ Yes □ No	The SMS document is yet to be prepared.
	Is there a structured process for the analysis of the risk associated to the consequences of identified hazards, expressed in terms of probability and severity of occurrences?	□ Yes ☑ No	
	Are there criteria for assessing risks and establishing risk tolerability (i.e., the acceptable level of risk the organization is willing to accept?	☑ Yes □ No	The are ordering for the airport guest by
	Does the service provider have risk mitigation strategies that include corrective/ preventive action plans to prevent recurrence of reported occurrences and deficiencies?	□ Yes □ Yes	

ICAO reference	Aspects to be analyzed or question to be answered	Answer	Status of implementation
	Are corrective and preventive actions generated in response to event analysis?	☑ Yes □ No	Informal
Component	N° 3 –SAFETY ASSURANCE		
Element 3.1	- Safety performance monitoring and measure	ment	
	Are regular and periodic planned reviews conducted regarding:		
	Company safety performance? ☐ Yes ☐ No		
	Internal audit reviews?		
	Hazard Identification and occurrence investigations?		
	☐ Yes ☐ No Hazard and occurrence analysis results?		
	☐ Yes ☐ No Internal feedback analysis/results? ☐ Yes ☐ No		
	External feedback analysis/results?		
	Status of corrective actions?		
	Follow-up actions from previous management reviews?		
	☐ Yes ☐ No Changes that could affect safety?		
	☐ Yes ☐ No Recommendations for improvement?		•
	☐ Yes ☐ No Sharing of best practices across the organization?		
	☐ Yes ☐ No		
	is there a process to evaluate the effectiveness of corrective actions?	□ Yes	
	Are safety reports reviewed at the appropriate level of management?	☐ Yes ☐ No	

Appendix G-2: Software Code

CODE

```
Home Screen
```

```
Default.aspx
<%@ Page Language="vb" AutoEventWireup="false" CodeBehind="Default.aspx.vb" Inherits="WebApplication3. Default" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
               <title></title>
                <style type="text/css">
                                 .style1
                                {
                                                font-size: xx-large;
                                 {
                                                 text-decoration: underline;
                                                 font-size: large;
                                  .style4
                                                font-size: x-large;
                                    .style5
                                                 text-decoration: underline;
                                                font-size: x-large;
                                  .stvle6
                                                font-weight: bold;
                </style>
                                 </head>
                                 <body >
                                                 <form id="form1" runat="server">
                                                <span class="style1">&nbsp;
sp;  <br/>cb> THE OHIO STATE UNIVERISTY
                                                AIRPORT<br /></b>
\label{localization} \\ anbsp; \\ anbsp
sp;        
                                MANAGEMENT SYSTEM</b> <br />
\verb§nbsp| \&nbsp| \&nbsp|
sp;         
                                                <span class="style4">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; </span></span></pan>
                                                 < span class = "style5" > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < / span > < span style="text-decoration:blink" class = "style6" > TODAY& #39:S ANNOUNCEMENTS < < span style="text-decoration:blink" class = "style6" > TODAY& * Style6" > TODAY& * Style
class="style1"><span class="style3"><br />
                       <b style="text-decoration:blink"> <asp:Repeater ID="rpttoday" runat="server">
                 <HeaderTemplate>
Announcements
Date of announcement
Time
</HeaderTemplate>
<ItemTemplate>
<%#Container.DataItem("ann")%> 
<%#Container.DataItem("d_field")%> 
<%#Container.DataItem("t_field")%> 
</ItemTemplate>
```

```
<FooterTemplate>
</FooterTemplate>
   </asp:Repeater></b>
         </span></span>
   <asp:SiteMapDataSource id="nav1" runat="server" />
                  
sp;        
   <asp:TreeView ID="TreeView1" runat="server" DataSourceId="nav1" Height="208px"</pre>
      ImageSet="News" Width="284px" BackColor="Black"
      Font-Bold="True" Font-Names="Gill Sans Ultra Bold" Font-Size="X-Large"
      BorderColor="#333333" BorderStyle="Dashed"
      Font-Italic="False" Font-Overline="True" Font-Strikeout="False"
      Font-Underline="False" ForeColor="Black" >
      <ParentNodeStyle Font-Bold="False" />
      <HoverNodeStyle Font-Underline="True" ForeColor="Purple" />
      <SelectedNodeStyle Font-Underline="True" HorizontalPadding="0px"</pre>
         VerticalPadding="0px" />
      <NodeStyle Font-Names="Tahoma" Font-Size="Medium" ForeColor="Beige"</pre>
         HorizontalPadding="5px" NodeSpacing="0px" VerticalPadding="0px" />
   </asp:TreeView>
   
      
    
   </form>
</body>
</html>
Default.aspx.vb
Partial Public Class _Default
   Inherits System.Web.UI.Page
   Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load
      Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
                         "Data
                                             Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                   Studio
{\tt 2008\Projects\WebApplication3\NebApplication3\Announce.mdb")}\\
      conn.Open()
      Dim dbread
      Dim da As OleDb.OleDbDataAdapter
      Dim sql1 As String
      Dim cmd As OleDb.OleDbCommand
      sql1 = "select * from announce1 where d field= '" & Today() & "' "
      cmd = New OleDb.OleDbCommand(sgl1, conn)
      da = New OleDb.OleDbDataAdapter(sql1, conn)
      dbread = cmd.ExecuteReader()
      rpttoday.DataSource = dbread
      rpttoday.DataBind()
      dbread.Close()
      conn.Close()
   End Sub
   Protected
            Sub
                  TreeView1_SelectedNodeChanged(ByVal
                                                             Object, ByVal e As
                                                                                                 Handles
                                                sender As
                                                                                      EventArgs)
TreeView1.SelectedNodeChanged
   End Sub
End Class
For Entering Announcement
<%@ Page Language="vb" AutoEventWireup="false" CodeBehind="WebForm1.aspx.vb" Inherits="WebApplication3.WebForm1" %>
<!DOCTYPE html PUBLIC "-/W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
```

```
<head id="Head1" runat="server">
                <title></title>
                <style type="text/css">
                                .style1
                                                font-size: x-large;
                                .stvle2
                                {
                                                font-size: xx-large;
                                               font-weight: bold;
                </style>
</head>
                \verb§ anbsp; & nbsp; & 
\verb|class="style2">\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \&nbsp
  ENTER ANNOUNCEMENTS
                <br />
                <br />
                <hr />
                </span>
                <form id="form1" runat="server">
                <div>
%nbsp; %n
; azdni; 
                
                                   <asp:Label ID="lblannounce" runat="server" Text="Announcement"
                                               Font-Names="Cambria"></asp:Label>
                                 <asp:TextBox ID="txtannounce" runat="server" Height="28px"
                                                style="margin-left: 0px" Width="167px"></asp:TextBox>
                                <asp:Button ID="btnsubmit" runat="server" Text="Submit"</pre>
                                               style="margin-left: 63px" />
                          
                </div>
                >
                                
                sp: \&nbsp: \&nb
sp; \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \&nb
<a href="http://localhost:64098/Default.aspx"><span class="style1">Home</span></a>&nbsp;&nbsp;&nbsp;
</body>
</html>
Enter.aspx.vb
Partial Public Class WebForm1
                Inherits System.Web.UI.Page
                Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load
                Private Function GetConnection() As OleDb.OleDbConnection
                                Return New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;"
                                     & "Data Source=C:\Users\Santhosh\Documents\Visual Studio 2008\Projects\WebApplication3\WebApplication3\announce.accdb")
                End Function
                Protected Sub btnsubmit_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnsubmit.Click
                               Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
                                                                                                                             "Data
                                                                                                                                                                                                                                      Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Studio
{\tt 2008\Projects\WebApplication3\WebApplication3\nounce.mdb")}
                                conn.Open()
```

```
 \label{eq:definition}  \mbox{Dim sqll As String = "Insert into Announcel (ann,d_field,t_field) values ('" & txtannounce.Text & "','" & Today() & "', txtannounce.Text & "', txtannou
'" & TimeOfDay() & "')"
              Dim cmd As OleDb.OleDbCommand = New OleDb.OleDbCommand(sgl1, conn)
              Dim sa As OleDb.OleDbDataAdapter = New OleDb.OleDbDataAdapter(sql1, conn)
              Dim ds As New DataSet
              Try
                      cmd.ExecuteNonQuery()
               Finally
                      conn.Close()
                      conn.Dispose()
               End Try
               MsgBox("Successfully Entered")
End Class
For Viewing Announcements
<%@ Page Language="vb" AutoEventWireup="false" CodeBehind="WebForm2.aspx.vb" Inherits="WebApplication3.WebForm2" %>
<!DOCTYPE html PUBLIC "-/W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head id="Head1" runat="server">
       <title></title>
       <style type="text/css">
               .stvle1
              {
                      font-size: xx-large;
                      font-weight: bold;
               .style2
               {
                      font-size: large;
              {
                      font-size: x-large;
       </style>
</head>
<body>
        <form id="form2" runat="server">
          
              VIEW ANNOUNCEMENTS
       <span class="style2">&nbsp;&nbsp;&nbsp;&nbsp; &nbsp; Announcements made/span><asp:DropDownList</pre>
                      ID="ddlannouncement" runat="server" style="margin-left: 7px">
                       <asp:ListItem>Last one month</asp:ListItem>
                       <asp:ListItem>Last one week</asp:ListItem>
                       <asp:ListItem>Yesterday</asp:ListItem>
                      <asp:ListItem>Today</asp:ListItem>
               </asp:DropDownList>
               <asp:Button ID="Btnview_announcements" runat="server"</pre>
                      style="margin-left: 29px" Text="View By Date" Width="105px"
                      Height="25px" />
               <asp:Button ID="btnview_all" runat="server" style="margin-left: 272px"</pre>
                      Text="View all" />
      
       <asp:Repeater ID="view" runat="server">
        <HeaderTemplate>
Announcements
Date of announcement
Time
</HeaderTemplate>
<ItemTemplate>
```

```
<%#Container DataItem("ann")%> 
<%#Container.DataItem("d field")%> 
<%#Container.DataItem("t field")%> 
</ItemTemplate>
<FooterTemplate>
</FooterTemplate>
              </asp:Repeater>
\label{localization} \\ anbsp; \\ anbsp
sp; \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \&nb
anbsp; an
          
                                          ID="txtno_of_records" runat="server" Enabled="False"
                                          style="margin-left: 6px" Height="20px" Width="43px">0</asp:TextBox>
              
</form>
sp: \&nbsp: \&nb
sp: \&nbsp: \&nb
                  
sp;  
<a href="http://localhost:64098/Default.aspx"><span class="style3">Home</span></a>
</body>
</html>
View.aspx.vb
Public Partial Class WebForm2
              Inherits System.Web.UI.Page
              Protected Sub Btnview_announcements_Click(ByVal sender As Object, ByVal e As EventArgs) Handles Btnview_announcements.Click
                           Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
                                                                                                              "Data
                                                                                                                                                                                                          Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                                                                                                                                                                                                                                                                                                                                                                            Studio
{\tt 2008\Projects\WebApplication3\WebApplication3\Announce.mdb")}\\
                            conn.Open()
                            Dim dbread
                            Dim da As OleDb.OleDbDataAdapter
                           Dim sql1 As String
                            If (ddlannouncement.SelectedItem.Text = "Last one month") Then
                                          Dim cmd As OleDb.OleDbCommand
                                          sgl1 = "select * from announcel where (DateDiff(""d"",d field,'" & Today() & "')) < 30 "
                                          cmd = New OleDb.OleDbCommand(sgl1, conn)
                                          da = New OleDb.OleDbDataAdapter(sql1, conn)
                                          dbread = cmd.ExecuteReader()
                                          view.DataSource = dbread
                                          view.DataBind()
                                          sql1 = "select count(*) from announcel where (DateDiff(""d"",d_field,'" & Today() & "')) < 30 "
                                          cmd = New OleDb.OleDbCommand(sgl1, conn)
                                          txtno_of_records.Text = cmd.ExecuteScalar().ToString
                                          dbread.Close()
                                          conn.Close()
                            If (ddlannouncement.SelectedItem.Text = "Last one week") Then
                                          Dim cmd As OleDb.OleDbCommand
                                           sql1 = "select * from announcel where (DateDiff(""d"",d_field,'" & Today() & "')) < 7
                                           cmd = New OleDb.OleDbCommand(sql1, conn)
                                          da = New OleDb.OleDbDataAdapter(sql1, conn)
                                           dbread = cmd.ExecuteReader()
                                           view.DataSource = dbread
                                           view.DataBind()
                                          cmd = New OleDb.OleDbCommand(sql1, conn)
                                          txtno_of_records.Text = cmd.ExecuteScalar().ToString
                                          dbread Close()
                                          conn.Close()
```

```
End If
              If (ddlannouncement.SelectedItem.Text = "Yesterday") Then
                     Dim cmd As OleDb.OleDbCommand
                     sql1 = "select * from announcel where (DateDiff(""d"",d_field,'" & Today() & "')) = 1 "
                     cmd = New OleDb.OleDbCommand(sgl1, conn)
                     da = New OleDb.OleDbDataAdapter(sql1, conn)
                     dbread = cmd.ExecuteReader()
                     view.DataSource = dbread
                     view.DataBind()
                     sql1 = "select count(*) from announcel where (DateDiff(""d"",d_field,'" & Today() & "')) = 1 "
                     cmd = New OleDb.OleDbCommand(sql1, conn)
                     txtno_of_records.Text = cmd.ExecuteScalar().ToString
                     dbread.Close()
              End If
              If (ddlannouncement.SelectedItem.Text = "Today") Then
                      Dim cmd As OleDb.OleDbCommand
                     sql1 = "select * from announcel where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 "
                     cmd = New OleDb.OleDbCommand(sql1, conn)
                     da = New OleDb.OleDbDataAdapter(sql1, conn)
                     dbread = cmd.ExecuteReader()
                     view.DataSource = dbread
                     view.DataBind()
                     sql1 = "select count(*) from announce1 where (DateDiff(""d"",d_field,'" \& Today() \& "')) = 0 " (DateDiff(""d"",d_field,'" & Today() & "')) = 0 " (DateDiff(""d",d_field,'" 
                     cmd = New OleDb.OleDbCommand(sgl1, conn)
                     txtno_of_records.Text = cmd.ExecuteScalar().ToString
                     dbread.Close()
                     conn.Close()
              End If
       End Sub
       Protected Sub btnview_all_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnview_all.Click
              Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
                                                                                                        Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                                                                                                                                                    Studio
2008\\Projects\\WebApplication3\\WebApplication3\\announce.mdb")
              conn.Open()
              Dim dbread
              Dim da As OleDb.OleDbDataAdapter
              Dim sql1 As String
              Dim cmd As OleDb.OleDbCommand
              sql1 = "select * from announce1"
              cmd = New OleDb.OleDbCommand(sql1, conn)
              da = New OleDb.OleDbDataAdapter(sql1, conn)
              dbread = cmd.ExecuteReader()
              view.DataSource = dbread
              view.DataBind()
              sql1 = "select count(*) from announce1"
              cmd = New OleDb.OleDbCommand(sql1, conn)
              txtno_of_records.Text = cmd.ExecuteScalar().ToString
              dbread.Close()
              conn.Close()
      End Sub
End Class
For Report Accident/Incident
accident_or_incident.aspx
<%@ Page Language="vb" AutoEventWireup="false" CodeBehind="WebForm3.aspx.vb" Inherits="WebApplication3.WebForm3" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
       <title></title>
       <style type="text/css">
              .style1
                      font-size: xx-large;
                     font-weight: bold;
               .style2
                     font-size: xx-large;
```

```
}
</style>
</head>
<body>
<form id="form1" runat="server">
<div>
```

knbsp; kn

```
<asp:Label ID="lblweather_conditions" runat="server" Text="Weather Conditions"></asp:Label>
<asp:TextBox ID="txtweather_conditions" runat="server" Height="21px"
    style="margin-left: 4px" Width="191px"></asp:TextBox>
```

 i

&

<asp:ListItem>Observation Tower</asp:ListItem>
casp:ListItem>Flight School</asp:ListItem>
casp:ListItem>ATC Tower</asp:ListItem>

<asp:ListItem>Others</asp:ListItem>
</asp:DropDownList>

```
<asp:Label ID="lblReason_of_accident" runat="server" Text="Reason for Accident"></asp:Label>
<asp:DropDownList ID="ddlReason_for_accident" runat="server" Height="20px"
    Width="120px">
    <asp:ListItem>Operator Error</asp:ListItem>
    <asp:ListItem>Instrument Error</asp:ListItem>
    <asp:ListItem>Mechanical Error</asp:ListItem>
```

 :

```
<asp:Label ID="lblAction_taken" runat="server" Text="Action Taken"></asp:Label>
<asp:DropDownList ID="ddlaction_taken" runat="server" Height="20px"
    style="margin-left: 5px" Width="120px">
    <asp:ListItem>Call 911</asp:ListItem>
    <asp:ListItem>Finform Customer Service</asp:ListItem>
    <asp:ListItem>Call fire Department</asp:ListItem>
    <asp:ListItem>Call Maintainance</asp:ListItem>
    <asp:ListItem>Inform Dr. Hammon</asp:ListItem>
    <asp:ListItem>Casp:ListItem><asp:ListItem><asp:ListItem>Casp:ListItem><asp:ListItem>Casp:ListItem><asp:ListItem>Casp:ListItem><asp:ListItem>Casp:ListItem>Casp:ListItem><asp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:ListItem>Casp:Li
```

&

&

```
<a href="http://localhost:64098/Default.aspx"><span class="style2">Home</span></a>
    </body>
</html>
accident_or_incident.aspx.vb
Partial Public Class WebForm3
    Inherits System.Web.UI.Page
    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load
    End Sub
    Private Function GetConnection() As OleDb.OleDbConnection
         Return New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
          & "Data Source=C:\Users\Santhosh\Documents\Visual Studio 2008\Projects\WebApplication3\WebApplication3\accident.acccdb")
    End Function
    Protected Sub btnsubmit_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnsubmit.Click
         Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
                                   "Data
                                                                 Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                                                              Studio
2008\\Projects\\WebApplication3\\WebApplication3\\accident.mdb")
         conn.Open()
         Dim sqll As String = "Insert into Accident1 (Date_of_Accident,d_Field, T_Field,Weather_Condition, Type_of_Accident,
Place_of_Accident, Reason_for_Accident,Action_Taken) values ('" & Calendarl.SelectedDate() & "','" & Today() & "', '" & TimeOfDay() & "', '" & txtweather_conditions.Text & "' , '" & ddltype_of_accident.SelectedItem.Text & "' , '" & ddlPlace_of_Accident.SelectedItem.Text & "' , '" & ddlReason_for_accident.SelectedItem.Text & "' , '" &
ddlaction_taken.SelectedItem.Text & "' ) "
         Dim cmd As OleDb.OleDbCommand = New OleDb.OleDbCommand(sql1, conn)
         Dim sa As OleDb.OleDbDataAdapter = New OleDb.OleDbDataAdapter(sql1, conn)
         Dim ds As New DataSet
```

cmd.ExecuteNonQuery()

```
Finally
            conn.Close()
            conn.Dispose()
        End Trv
        MsqBox("Successfully Entered")
    End Sub
End Class
For Query Accident/Incident
<%@ Page Language="vb" AutoEventWireup="false" CodeBehind="WebForm5.aspx.vb" Inherits="WebApplication3.WebForm5" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title></title>
    <style type="text/css">
        .style1
            font-size: x-large;
            font-weight: bold;
        .style2
            font-size: xx-large;
        .style3
        {
            font-size: x-large;
            font-weight: bold;
        .style4
            font-size: xx-large;
            font-weight: bold;
    </style>
</head>
 <body><form id="form1" runat="server">
```

```
class="style4">QUERY DATA ZONE/>span class="style1"><br />
<br />
<span</pre>
```

class="style3">knbsp; &

```
ACCIDENT/INCIDENT REPORT  </span></div>
```

&

```
Text="Accident/Incident Report - all" Width="185px" />
```

```
Accident/Incident at 

<asp:DropDownList ID="ddltype_of_accident" runat="server" Height="20px"

Width="120px">
<asp:ListItem>Runway</asp:ListItem>
<asp:ListItem>Taxiway</asp:ListItem>
<asp:ListItem>Maintainance Departmet</asp:ListItem>
```

```
<asp:ListItem>Pilot Shop</asp:ListItem>
                                 <asp:ListItem>Main Lobby</asp:ListItem>
                                 <asp:ListItem>Ramp</asp:ListItem>
                                 <asp:ListItem>Hangars</asp:ListItem>
                                 <asp:ListItem>Observation Tower</asp:ListItem>
                                 <asp:ListItem>Flight School</asp:ListItem>
                                 <asp:ListItem>ATC Tower</asp:ListItem>
                                <asp:ListItem>Others</asp:ListItem>
                      </asp:DropDownList>
     <asp:Button ID="btnacc_due_to" runat="server" style="margin-left: 1px"
                                Text="Accident/Incident Report at" Width="194px" />
                      
           >
\verb§ anbsp : &nbsp : &
sp; \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \  \&nb
         
                                 ID="ddlbydate" runat="server" style="margin-left: 8px" Height="19px"
                                Width="120px">
                                 <asp:ListItem>Last one month</asp:ListItem>
                                 <asp:ListItem>Last one week</asp:ListItem>
                                 <asp:ListItem>Yesterday</asp:ListItem>
                                <asp:ListItem>Today</asp:ListItem>
                     </asp:DropDownList>
             
                      <asp:Button ID="Btna_o_i_report" runat="server" style="margin-left: 13px"</pre>
                                Text="Accident/Incident Report by date" Width="198px" />
          >
                        
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        &n
gednå; ge
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        &n
sp;        
                      <span class="style3">&nbsp;
ID="rpta_o_i_report" runat="server">
                      <HeaderTemplate>
Date of accident/incident
Date reported
Time
Weather Condition
Type of Accident
Place of Accident
Reason for Accident
Action Taken
</HeaderTemplate>
<ItemTemplate>
<%#Container.DataItem("Date of Accident")%> 
<%#Container.DataItem("d Field")%> 
<%#Container.DataItem("T_Field")%> 
<$#Container.DataItem("Weather_Condition")%> 
<%#Container.DataItem("Type_of_Accident")%> 
<%#Container.DataItem("Place_of_Accident")%> 
<$#Container.DataItem("Reason_for_Accident")%> 
<$#Container.DataItem("Action_Taken")%> 
</ItemTemplate>
<FooterTemplate>
</FooterTemplate>
                      
           Number of Records<asp:TextBox ID="txtno_of_records" runat="server" Enabled="False"
                                style="margin-left: 4px" Height="20px" Width="77px">0</asp:TextBox>
```

>

 sp; dn&; aedn&; aedn sp; sp;

```
<a href="http://localhost:64098/Default.aspx"><span class="style2">Home</span></a>
>
   
>
```

 $\label{localization} \\ anbsp; \\ anbsp$ $sp; \&nb$ anbsp; an sp;

```
      
</body>
</html>
Query.aspx.vb
Public Partial Class WebForm5
       Inherits System.Web.UI.Page
       Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load
       Protected Sub Btna o i report Click(ByVal sender As Object, ByVal e As EventArgs) Handles Btna o i report.Click
              Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;"
                                                             "Data
                                                                                                              Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                                                                                                                                                            Studio
2008\\Projects\\WebApplication3\\WebApplication3\\accident.mdb")
               conn.Open()
               Dim dbread
               Dim da As OleDb.OleDbDataAdapter
              Dim sql1 As String
               If (ddlbydate.SelectedItem.Text = "Last one month") Then
                      Dim cmd As OleDb.OleDbCommand
                      sql1 = "select * from accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) < 30 \quad "total accident from ac
                       cmd = New OleDb.OleDbCommand(sql1, conn)
                       da = New OleDb.OleDbDataAdapter(sql1, conn)
                      dbread = cmd.ExecuteReader()
                      rpta_o_i_report.DataSource = dbread
                       rpta_o_i_report.DataBind()
                      \texttt{sql1} \texttt{ = "select count(*) from accident1 where (DateDiff(""d"",d\_field,'" \& Today() \& "')) < 30 "
                       cmd = New OleDb.OleDbCommand(sql1, conn)
                      txtno_of_records.Text = cmd.ExecuteScalar().ToString
                      dbread.Close()
                      conn.Close()
               End If
               If (ddlbydate.SelectedItem.Text = "Last one week") Then
                      Dim cmd As OleDb.OleDbCommand
                      sql1 = "select * from accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) < 7 "
                      cmd = New OleDb.OleDbCommand(sql1, conn)
                      da = New OleDb.OleDbDataAdapter(sql1, conn)
                      dbread = cmd.ExecuteReader()
                      rpta_o_i_report.DataSource = dbread
                       rpta_o_i_report.DataBind()
                      sql1 = "select count(*) from accidentl where (DateDiff(""d"",d_field,'" & Today() & "')) < 7 "
                      cmd = New OleDb.OleDbCommand(sql1, conn)
                      txtno_of_records.Text = cmd.ExecuteScalar().ToString
                      conn.Close()
               End If
               If (ddlbydate.SelectedItem.Text = "Yesterday") Then
                      Dim cmd As OleDb.OleDbCommand
                        \texttt{sql1} = \texttt{"select * from accident1 where (DateDiff(""d"",d_field,'" \& Today() \& "'))} = 1 \quad \texttt{"} 
                       cmd = New OleDb.OleDbCommand(sql1, conn)
                       da = New OleDb.OleDbDataAdapter(sql1, conn)
                      dbread = cmd.ExecuteReader()
                      rpta_o_i_report.DataSource = dbread
                      rpta_o_i_report.DataBind()
                      sgl1 = "select count(*) from accident1 where (DateDiff(""d"",d field.'" & Todav() & "')) = 1 "
```

cmd = New OleDb.OleDbCommand(sql1, conn)

```
txtno_of_records.Text = cmd.ExecuteScalar().ToString
                    dbread.Close()
                    conn.Close()
             End If
             If (ddlbydate.SelectedItem.Text = "Today") Then
                    Dim cmd As OleDb.OleDbCommand
                    sql1 = "select * from accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 "
                    cmd = New OleDb.OleDbCommand(sql1, conn)
                    da = New OleDb.OleDbDataAdapter(sql1, conn)
                    dbread = cmd.ExecuteReader()
                    rpta_o_i_report.DataSource = dbread
                    rpta_o_i_report.DataBind()
                    sql1 = "select count(*) from accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident1 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 \ "' accident2 wher
                    cmd = New OleDb.OleDbCommand(sql1, conn)
                    txtno_of_records.Text = cmd.ExecuteScalar().ToString
                    conn.Close()
             End If
      End Sub
      Protected Sub btnacc_all_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnacc_all.Click
              \  \, \hbox{Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;"} \\
                                                        "Data
                                                                                                     \verb|Source=C:\Nsers\Santhosh\Documents\Visual|\\
                                                                                                                                                                                                                        Studio
{\tt 2008\Projects\WebApplication3\WebApplication3\Accident.mdb")}\\
             conn.Open()
             Dim dbread
             Dim da As OleDb.OleDbDataAdapter
             Dim sql1 As String
             Dim cmd As OleDb.OleDbCommand
             sql1 = "select * from accident1"
             cmd = New OleDb.OleDbCommand(sql1, conn)
             da = New OleDb.OleDbDataAdapter(sql1, conn)
             dbread = cmd.ExecuteReader()
             rpta_o_i_report.DataSource = dbread
             rpta_o_i_report.DataBind()
             sql1 = "select count(*) from accident1"
             cmd = New OleDb.OleDbCommand(sql1, conn)
             txtno_of_records.Text = cmd.ExecuteScalar().ToString
             dbread.Close()
              conn.Close()
      Protected Sub btnacc_all0_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnacc_due_to.Click
             Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
                æ
                                                       "Data
                                                                                                    Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                                                                                                                                        Studio
{\tt 2008\Projects\WebApplication3\WebApplication3\Accident.mdb")}\\
             conn.Open()
             Dim dbread
             Dim da As OleDb.OleDbDataAdapter
             Dim sall As String
             Dim cmd As OleDb.OleDbCommand
             sql1 = "select * from accident1 where Place of Accident = '" & ddltype of accident.SelectedItem.Text & "' "
             cmd = New OleDb.OleDbCommand(sgl1, conn)
             da = New OleDb.OleDbDataAdapter(sql1, conn)
             dbread = cmd.ExecuteReader()
             rpta_o_i_report.DataSource = dbread
             rpta_o_i_report.DataBind()
             sql1 = "select count(*) from accident1 where Place_of_Accident = '" & ddltype_of_accident.SelectedItem.Text & "'"
             cmd = New OleDb.OleDbCommand(sql1, conn)
             txtno_of_records.Text = cmd.ExecuteScalar().ToString
             dbread.Close()
              conn.Close()
      End Sub
End Class
For Report Hazard
<%@ Page Language="vb" AutoEventWireup="false" CodeBehind="WebForm4.aspx.vb" Inherits="WebApplication3.WebForm4" %>
<!DOCTYPE html PUBLIC "-/W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

&

```
<span class="style1">HAZARD REPORT</span></div>
```

&

 $\verb"anbsp: : &nbs$

```
<asp:ListItem>Driving without beacon</asp:ListItem>
                                  <asp:ListItem>Seatbelts</asp:ListItem>
                  </asp:DropDownList>
dnå; azdnå; azdn
sp;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       &nbsp
dnå; azdnå; azdn
sp; 
                                <asp:Label ID="lblaction" runat="server" Text="Actions"></asp:Label>
                                  <asp:DropDownList ID="ddlactions" runat="server" Height="20px"</pre>
                                 Width="120px">
                                                  <asp:ListItem>Self fix</asp:ListItem>
                                                  <asp:ListItem>Report on database</asp:ListItem>
                                                   <asp:ListItem>Maintainance and Report</asp:ListItem>
                                 </asp:DropDownList>
                         
                  <br />
         
                  <asp:Button ID="btnsubmit" runat="server" style="margin-left: 417px"</pre>
                                Text="Submit" />
                 </form>
                  
 sp: \&nbsp: \&nb
                  
sp;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       &nbsp
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        &n
 <a href="http://localhost:64098/Default.aspx"><span class="style2">Home</span></a>
</body>
</html>
Hazard.aspx.vb
Partial Public Class WebForm4
                 Inherits System.Web.UI.Page
                 Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load
                 Private Function GetConnection() As OleDb.OleDbConnection
                                 Return New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;"
                                      & "Data Source=C:\Users\Santhosh\Documents\Visual Studio 2008\Projects\WebApplication3\WebApplication3\hazard.acccdb")
                 End Function
                 Protected Sub btnsubmit_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnsubmit.Click
                                Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
                                                                                                                                 "Data
                                                                                                                                                                                                                                            Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Studio
2008\\Projects\\WebApplication3\\WebApplication3\\hazard.mdb")
                                 conn.Open()
Dim sqll As String = "Insert into hazardl (Date_of_Hazard,d_field, T_Field,Administration, Maintainance, Air_Field,Administration, Maintainance, Air_Field,Administrat
                                 Dim cmd As OleDb.OleDbCommand = New OleDb.OleDbCommand(sql1, conn)
                                Dim sa As OleDb.OleDbDataAdapter = New OleDb.OleDbDataAdapter(sql1, conn)
                                 Try
                                                 cmd.ExecuteNonQuery()
                                  Finally
                                                 conn.Close()
                                                  conn.Dispose()
                                 End Try
                                 MsgBox("Successfully Entered")
                 End Sub
End Class
```

<asp:ListItem>Vehicle at taxiwavs</asp:ListItem>

```
Query1.aspx
```

```
<%@ Page Language="vb" AutoEventWireup="false" CodeBehind="WebForm6.aspx.vb" Inherits="WebApplication3.WebForm6" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
   <title></title>
    <style type="text/css">
        .style3
            font-size: xx-large;
            font-weight: bold;
           font-size: x-large;
            font-weight: bold;
        .stvle2
           font-size: xx-large;
        </style>
</head>
<body>
    <form id="form2" runat="server">
    >
        <span
```

class="style3"> &nb

OURRY DATA

 $\label{local_solution} ZONE < span> \& nbsp; \& nbsp;$

&

&

```
<asp:Button ID="btnall" runat="server" style="margin-left: 36px"
Text="Hazard report all" />
```

&

>

knbsp; &

```
ID="ddlbydate hazard" runat="server" style="margin-left: 8px"
        Height="20px" Width="120px">
         <asp:ListItem>Last one month</asp:ListItem>
         <asp:ListItem>Last one week</asp:ListItem>
         <asp:ListItem>Yesterday</asp:ListItem>
         <asp:ListItem>Today</asp:ListItem>
      </asp:DropDownList>
   <asp:Button ID="btnhazard_date_1" runat="server" style="margin-left: 33px"
        Text="Hazard Report by date" Width="143px" />
   >
          
              
            
   <asp:Repeater ID="rpthazard" runat="server">
      <HeaderTemplate>
<t.r>
Date of hazard
Date reported
Time
Administration
Maintainance
Air Field
Action Taken
</HeaderTemplate>
<ItemTemplate>
<%#Container.DataItem("Date_of_Hazard")%> 
<%#Container.DataItem("d_Field")%> 
<%#Container.DataItem("T Field")%> 
<%#Container.DataItem("Administration")%> 
<$#Container.DataItem("Maintainance")%> 
<$#Container.DataItem("Air_Field")%> 
<%#Container.DataItem("Action_Taken")%> 
</ItemTemplate>
<FooterTemplate>
</FooterTemplate>
  </asp:Repeater>
```

knbsp: :&

```
No of Records<asp:TextBox ID="txtno_of_records1" runat="server" Enabled="False" style="margin-left: 6px" Height="20px" Width="72px">0</asp:TextBox>
```

&

Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load

```
Protected Sub btnhazard_date_1_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnhazard_date_1.Click
                  Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
                                                                             "Data
                                                                                                                                            Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                                                                                                                                                                                                                            Studio
2008\\Projects\\WebApplication3\\WebApplication3\\hazard.mdb")
                  conn.Open()
                  Dim da As OleDb.OleDbDataAdapter
                   Dim sql1 As String
                   If (ddlbydate_hazard.SelectedItem.Text = "Last one month") Then
                            Dim cmd As OleDb.OleDbCommand
                            \mbox{sql1 = "select * from hazard1 where (DateDiff(""d"",d_field,'" \& Today() \& "')) < 30 \quad " \mbox{ } \mbox
                            cmd = New OleDb.OleDbCommand(sql1, conn)
                            da = New OleDb.OleDbDataAdapter(sql1, conn)
                            dbread = cmd.ExecuteReader()
                            rpthazard.DataSource = dbread
                            rpthazard.DataBind()
                            \texttt{sql1} = \texttt{"select count(*) from hazardl where (DateDiff(""d"",d_field,'" & Today() & "')) < 30 "
                            cmd = New OleDb.OleDbCommand(sql1, conn)
                            txtno of records1.Text = cmd.ExecuteScalar().ToString
                            dbread.Close()
                            conn.Close()
                   End If
                   If (ddlbydate hazard.SelectedItem.Text = "Last one week") Then
                            Dim cmd As OleDb.OleDbCommand
                            sql1 = "select * from hazard1 where (DateDiff(""d"",d_field,'" & Today() & "')) < 7 "
                            cmd = New OleDb.OleDbCommand(sql1, conn)
                            da = New OleDb.OleDbDataAdapter(sql1, conn)
                            dbread = cmd.ExecuteReader()
                            rpthazard.DataSource = dbread
                            rpthazard.DataBind()
                            cmd = New OleDb.OleDbCommand(sql1, conn)
                             txtno_of_records1.Text = cmd.ExecuteScalar().ToString
                            dbread.Close()
                            conn.Close()
                   If (ddlbydate_hazard.SelectedItem.Text = "Yesterday") Then
                            Dim cmd As OleDb.OleDbCommand
                            sql1 = "select * from hazard1 where (DateDiff(""d"", d_field, '" & Today() & "')) = 1 - " + Today() + To
                            cmd = New OleDb.OleDbCommand(sql1, conn)
                            da = New OleDb.OleDbDataAdapter(sql1, conn)
                            dbread = cmd.ExecuteReader()
                            rpthazard.DataSource = dbread
                            rpthazard.DataBind()
                            sql1 = "select count(*) from hazard1 where (DateDiff(""d"",d field,'" & Today() & "')) = 1 "
                            cmd = New OleDb.OleDbCommand(sql1, conn)
                            txtno of records1.Text = cmd.ExecuteScalar().ToString
                            dbread.Close()
                            conn.Close()
                   If (ddlbydate_hazard.SelectedItem.Text = "Today") Then
                            Dim cmd As OleDb.OleDbCommand
                            sql1 = "select * from hazard1 where (DateDiff(""d"",d_field,'" & Today() & "')) = 0 "
                            cmd = New OleDb.OleDbCommand(sql1, conn)
                            da = New OleDb.OleDbDataAdapter(sql1, conn)
                            dbread = cmd.ExecuteReader()
                            rpthazard.DataSource = dbread
                             rpthazard.DataBind()
                             \texttt{sql1} \texttt{ "select count(*) from hazard1 where (DateDiff(""d"",d\_field,'" \& Today() \& "')) \texttt{ = 0 "} 
                             cmd = New OleDb.OleDbCommand(sql1, conn)
                            txtno_of_records1.Text = cmd.ExecuteScalar().ToString
                            dbread.Close()
                            conn.Close()
                  End If
         End Sub
         Protected Sub btnall_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnall.Click
```

```
Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;"
    & "Data Source=C:\\Users\\Santhosh\\Documents\\Visual Studio 2008\\Projects\\WebApplication3\\WebApplication3\\hazard.mdb")
        conn.Open()
       Dim dbread
       Dim da As OleDb.OleDbDataAdapter
       Dim sall As String
       Dim cmd As OleDb.OleDbCommand
        sql1 = "select * from hazard1
        cmd = New OleDb.OleDbCommand(sql1, conn)
       da = New OleDb.OleDbDataAdapter(sql1, conn)
        dbread = cmd.ExecuteReader()
       rpthazard.DataSource = dbread
        rpthazard.DataBind()
        sql1 = "select count(*) from hazard1 "
        cmd = New OleDb.OleDbCommand(sql1, conn)
        txtno_of_records1.Text = cmd.ExecuteScalar().ToString
        conn.Close()
    End Sub
    Protected Sub btnhazard_date1_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnhazard_date1.Click
       Dim conn As OleDb.OleDbConnection = New OleDb.OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;" _
                              "Data
                                                         Source=C:\\Users\\Santhosh\\Documents\\Visual
                                                                                                                             Studio
{\tt 2008\Projects\WebApplication3\WebApplication3\Mebapplication3\Nazard.mdb")}
       conn.Open()
       Dim dbread
       Dim da As OleDb.OleDbDataAdapter
       Dim sql1 As String
       Dim cmd As OleDb.OleDbCommand
        sql1 = "select * from hazard1 where Action_Taken= '" & ddlaction.SelectedItem.Text & "' "
        cmd = New OleDb.OleDbCommand(sql1, conn)
       da = New OleDb.OleDbDataAdapter(sql1, conn)
       dbread = cmd.ExecuteReader()
        rpthazard.DataSource = dbread
        rpthazard.DataBind()
        sql1 = "select count(*) from hazard1 where Action_Taken= '" & ddlaction.SelectedItem.Text & "' "
        cmd = New OleDb.OleDbCommand(sql1, conn)
        txtno_of_records1.Text = cmd.ExecuteScalar().ToString
        conn.Close()
    End Sub
End Class
```